

Erratum: Effect of Photon Energy on Conventional Intensity-Modulated Radiotherapy and Rapid Arc Radiotherapy Planning for Deep-Seated Targets in Carcinoma Cervix

Manindra Bhushan^{1,2} Girigesh Yadav¹ Deepak Tripathi² Lalit Kumar^{1,3} Abhinav Dewan¹ Inderjit Kaur Wahi¹ Mahamood Suhail¹ Swarupa Mitra¹ Munish Gairola¹

Asian J Oncol

Address for correspondence Manindra Bhushan, MSc, DRP, Division of Medical Physics, Department of Radiation Oncology, Rajiv Gandhi Cancer Institute and Research Centre, Sector-5, Rohini, New Delhi-110085, India (e-mail: manindra.drp44@gmail.com).

Erratum

It has been brought to the Publisher's attention that ► Figures 2 and 3 were published incorrectly in the above article published in Asian Journal of Oncology (DOI: 10.1055/s-0039-1693523) on July 19, 2019.













¹Division of Medical Physics and Department of Radiation Oncology, Rajiv Gandhi Cancer Institute and Research Centre, New Delhi, India

²Amity School of Applied Sciences, Amity University (AUUP), Noida, Uttar Pradesh, India

³Dr. APJ Abdul Kalam Technical University, Lucknow, Uttar Pradesh,

The correct figures with their legends appear as below:




Fig. 2 Dose coverage of low dose regions (28 Gy) for 6 MV, 10 MV, and 15 MV for IMRT and dual arc (DA) plans. IMRT, intensity-modulated radiotherapy.




Fig. 3 Cumulative dose volume histogram (DVH) of PTV and OARs. PTV, planning target volume; OARs, organs at risk.